

LIMONA-IN

The **Limona-IN** filter with Carbon (GAC or CBC) reduce chlorine, other unpleasant tastes and odors and provide a nominal 5 μ protection against particulate matter.

The **Limona-IN** also reduces hard water scale build up.

Complete installation and operation instructions are available with the product.



FEATURES & BENEFITS:

- **Threaded connections available:** ¼"
- **Applications:** suitable for installation with **water fountains and ice-maker machines**
- **External Structure:** the all polypropylene construction with pre and post filter provide a corrosion resistant body
- **Standard Dimensions:** Diameter 5.08 cm (2") - length 25.4 cm (10")

SPECIFICATIONS:

- **Rated Service Flow:** 2.84 liters/min (0.75 gpm)
- **Capacity:** 9.480 liters (2.500 gal)
- **Operating Temperature Range:** 4° -38° C (40° -100° F)
- **Operating Pressure Range:** 1.4 –6.9 bar (20 –100 psi)

Carbon filters are not for use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the unit.

CHLORINE REDUCTION PERFORMANCE *:

Mean influent concentration (ppm)	Mean effluent concentration (ppm)	Max effluent concentration (ppm)	PERCENTAGE REDUCTION
1.9	0.09	0.25	95.2 %

* Test performed at 2.84 liters/min, 4.2 bar, pH 7.5, 20°C